

**Amendments to the Claims:**

1. (Previously Presented) A composition of matter for dental restoration and bone implants and restoration comprising, in combination:

a mixture of liquid glycerol and a powdered calcium phosphate compound selected from the group consisting of tetracalcium phosphate; anhydrous dicalcium phosphate;  $\alpha$ -tricalcium phosphate with calcium carbonate; dicalcium phosphate with calcium hydroxide and mixtures thereof, said mixture being free of water and in the form of a paste.

2. (Original) The composition of Claim 1 including a cellulose compound.

3. (Original) The composition of Claim 1 including hydroxypropyl methylcellulose.

4. (Previously Presented) The composition of Claim 1 including  $\text{Na}_2\text{HPO}_4$ .

5. (Previously Presented) The composition of Claim 1 including an accelerator.

6. Cancelled.

7. (Currently Amended) The composition of Claim 1 comprising a water free paste comprised of a liquid including glycerol, hydroxypropyl methylcellulose and  $\text{Na}_2\text{HPO}_4$  and ~~powders derived from~~ powdered tetracalcium phosphate prepared from dicalcium phosphate and calcium carbonate.

8. (Currently Amended) A paste for bone and tooth restoration comprising, in combination:

a water free mixture of liquid glycerol and ~~powder derived from~~ powdered tetracalcium phosphate prepared from dicalcium phosphate and calcium carbonate.

9. (Original) The paste of Claim 8 wherein the liquid further includes hydroxy methylcellulose.

10. (Previously Presented) The paste of Claim 8 wherein the liquid further includes  $\text{Na}_2\text{HPO}_4$ .

11. (Original) The paste of Claim 8 wherein the mass ratio of powder to liquid is in the range of 3.5 to 1 to 1.5 to 1.8.